Pennsylvania Crusher Jaw Crusher Overhead Eccentric

When Only the Most Massive, Rugged and **Cost-Effective Jaw Crusher in the Industry Will Do!**



Operation

The Pennsylvania Crusher overhead eccentric jaw crusher is the most massive and rugged jaw crusher available today. Its many unique features

and advantages make it the most cost-effective crusher of its type.

The crushing chamber, for example, is longer than is found in any other design. This provides a far more efficient angle of nip, enabling the jaw plates to grab material more effectively and produce higher capacities than other machines with the same size feed opening.

Made of high-strength cast alloy steel, these extra long jaw plates are designed for maximum crushing capacity. Their high speed compressive action produces effective crushing across the entire jaw area and throughout the entire crushing chamber.

Your completion of our Crusher Application Analysis Form will enable us to determine which crusher models and sizes are best suited to your application. This form is part of our **Handbook of Crushing** (page 8). You can also find it online at terrasource.com/forms/size-reduction-rfq. Simply print out that page, complete the form, and return to us.

The massive cast steel pitman and forged alloy steel eccentric shaft are supported by four antifriction roller bearings.



Applications

Employed as a primary crusher, the overhead eccentric jaw crusher is used in quarries, cement plants, aggregate plants and other installations. In addition to limestone, these units are used on dolomite. quartz, gravel, trap rock and

In some instances, a choice must be made between

using this overhead eccentric model or our double toggle jaw crusher. Given your material specifications and whether sticky or unusual conditions may be encountered, our applications staff can provide guidance.




www.terrasource.com info@terrasource.com





Dimensions and Weights



IN (MM)			APPROXIMATE LAYOUT DIMENSIONS* AND SHIPPING WEIGHTS					
MODEL	Α	В	C	D	E	F	G	LBS (KG)
KOH 1024	53" (1346)	49-3/4" (1264)	59" (1499)	37" (940)	57-7/8" (1470)	63-1/4" (1607)	42" (1067)	10,600 (4,808)
KOH 1036	58-5/8" (1235)	61-3/4" (1568)	62-1/4" (1569)	41" (1041)	59-1/4" (1505)	76" (1930)	42" (1067)	12,000 (5,443)
KOH 1248	60" (1524)	74-3/4" (1899)	65-1/4" (1657)	44" (1118)	62-1/4" (1581)	95-1/2" (2426)	42" (1067)	21,800 (9,888)
KOH 1524	58-5/8" (1235)	39-1/8" (994)	74-1/4" (1886)	53" (1346)	64-1/2" (1638)	62" (1575)	42" (1067)	14,900 (6,759)
KOH 1536	58-1/2" (1486)	62-7/8" (1597)	72-1/2" (1842)	53" (1346)	68-1/2" (1740)	80-1/2" (2045)	50" (1270)	19,400 (8,800)
KOH 1848	79-3/8" (2016)	74-5/8" (1895)	87-1/4" (2216)	62" (1575)	82-1/2" (2096)	97-1/8" (2467)	50" (1270)	22,900 (10,387)
KOH 2248	77-1/2" (1969)	74-5/8" (1895)	87-1/4" (2216)	62" (1575)	86-1/2" (2197)	97-1/8" (2467)	50" (1270)	24,800 (11,249)
KOH 2436	77-1/2" (1969)	62-7/8" (1597)	96-3/4" (2457)	71-1/2" (1816)	85-3/4" (2178)	82-7/8" (2105)	50" (1270)	32,600 (14,787)
KOH 3042	90-7/8" (2308)	68-7/8" (1749)	116-1/4" (2953)	86" (2184)	101" (2565)	103-5/8" (2632)	60" (1524)	60,000 (27,216)
KOH 4248	116-1/2" (2959)	83-3/8" (2118)	137" (3480)	104" (2642)	126" (3200)	116" (2946)	66" (1676)	112,000 (50,802)
KOH 4860	132-1/4" (3359)	94" (2388)	164-5/8" (4181)	123" (3124)	137" (3480)	126-1/2" (3213)	78-1/2" (1994)	180,000 (81,647)

^{*} Certified drawings will be furnished for installation. Installation supervision is available.

